



International Impex Trade Ltd.

Hong Kong, Unit 04, 7/F Bright Way Tower NO.33 Mong Kok RD KL







Skype: inga.impex Phone: +852 81975533 – we speak Russian

ICQ: 121401019 Phone: +852 81912393 – we speak Russian, Spanish, English, French

e-mail: inga@impexcn.com

AHD, CVI, TVI Cameras Price List

Weatherproof HD Cameras (Varifocal Lens)

Picture	Type	Item No.	Sensor+ISP	Price USD	Specification	Remarks
  	AHD	IPA-V010CY40D	OV9712S+NVP2431H	25,5	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X42PCS IR range: 40M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Dimension:306(W)X97(H)X110(D)mm Weight:1.6Kg 16pcs in one outer carton With Deepbase Add USD3 (MOQ:100)
		IPA-A010CY40D	AR0141H+HTC960	26,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CY40D	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CY40D	IMX225+NVP2431H	31,9	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020CY40D	OV2710+NVP2441H	35,1	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CY40D	IMX322+NVP2441H	37,2	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010CY40C	AR0141H+HTC960	27,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013CY40C	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013CY40C	AR0130+FH8521	30,8	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013CY40C	IMX225+HTC960	31,9	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020CY40C	OV2710+FH8530C	37,2	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CY40C	IMX322+FH8530C	39,4	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010CY40T	AR0141H+HTC960	27,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CY40T	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013CY40T	IMX225+HTC960	31,9	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013CY40T	IMX238+FH8521	34,0	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020CY40T	OV2710+FH8531	37,2	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CY40T	IMX322+FH8531	39,4	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
  	AHD	IPA-V010CY60D	OV9712S+NVP2431H	29,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X72PCS IR range: 60M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Dimension:321(W)X118(H)X114(D)mm Weight:1.8Kg 12pcs in one outer carton With Deepbase Add USD3 (MOQ:100)
		IPA-A010CY60D	AR0141H+HTC960	30,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CY60D	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CY60D	IMX225+NVP2431H	36,2	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020CY60D	OV2710+NVP2441H	39,4	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CY60D	IMX322+NVP2441H	41,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010CY60C	AR0141H+HTC960	31,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013CY60C	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013CY60C	AR0130+FH8521	35,1	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013CY60C	IMX225+HTC960	36,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020CY60C	OV2710+FH8530C	41,5	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CY60C	IMX322+FH8530C	43,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010CY60T	AR0141H+HTC960	31,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CY60T	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013CY60T	IMX225+HTC960	36,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013CY60T	IMX238+FH8521	38,3	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020CY60T	OV2710+FH8531	41,5	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CY60T	IMX322+FH8531	43,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-V010CZ40D	OV9712S+NVP2431H	25,5	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	



AHD	IPA-A010CZ40D	AR0141H+HTC960	26,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CZ40D	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CZ40D	IMX225+NVP2431H	31,9	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CZ40D	OV2710+NVP2441H	35,1	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-S020CZ40D	IMX322+NVP2441H	37,2	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010CZ40C	AR0141H+HTC960	27,1
IPA-V013CZ40C		OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
IPA-A013CZ40C		AR0130+FH8521	30,8	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
IPA-S013CZ40C		IMX225+HTC960	31,9	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
IPA-V020CZ40C		OV2710+FH8530C	37,2	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
IPA-S020CZ40C		IMX322+FH8530C	39,4	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CZ40T	AR0141H+HTC960	27,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CZ40T	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CZ40T	IMX225+HTC960	31,9	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CZ40T	IMX238+FH8521	34,0	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CZ40T	OV2710+FH8531	37,2	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CZ40T	IMX322+FH8531	39,4	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 290(W)x110(H)x90(D)mm Weight: 1.6Kg
12pcs in one outer carton






AHD	IPA-V010CZ60D	OV9712S+NVP2431H	29,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CZ60D	AR0141H+HTC960	30,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CZ60D	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CZ60D	IMX225+NVP2431H	36,2	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CZ60D	OV2710+NVP2441H	39,4	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CZ60D	IMX322+NVP2441H	41,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CZ60C	AR0141H+HTC960	31,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CZ60C	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CZ60C	AR0130+FH8521	35,1	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CZ60C	IMX225+HTC960	36,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CZ60C	OV2710+FH8530C	41,5	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CZ60C	IMX322+FH8530C	43,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CZ60T	AR0141H+HTC960	31,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CZ60T	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CZ60T	IMX225+HTC960	36,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CZ60T	IMX238+FH8521	38,3	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CZ60T	OV2710+FH8531	41,5	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CZ60T	IMX322+FH8531	43,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT



IR LED: ϕ 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 310(W)x110(H)x105(D)mm Weight: 1.8Kg
12pcs in one outer carton





AHD	IPA-V010CF40D	OV9712S+NVP2431H	25,5	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CF40D	AR0141H+HTC960	26,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CF40D	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CF40D	IMX225+NVP2431H	31,9	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CF40D	OV2710+NVP2441H	35,1	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CF40D	IMX322+NVP2441H	37,2	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CF40C	AR0141H+HTC960	27,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CF40C	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CF40C	AR0130+FH8521	30,8	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CF40C	IMX225+HTC960	31,9	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CF40C	OV2710+FH8530C	37,2	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CF40C	IMX322+FH8530C	39,4	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CF40T	AR0141H+HTC960	27,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CF40T	OV9750+HTC960	29,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CF40T	IMX225+HTC960	31,9	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CF40T	IMX238+FH8521	34,0	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CF40T	OV2710+FH8531	37,2	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 275(W)x91(H)x80(D)mm Weight: 1.4Kg
**With Deepbase Add USD3 (MOQ:100)
16pcs in one outer carton**

	IPA-S020CF40T	IMX322+FH8531	39,4	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
  	AHD	IPA-V010CF60D	OV9712S+NVP2431H	29,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010CF60D	AR0141H+HTC960	30,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013CF60D	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013CF60D	IMX225+NVP2431H	36,2	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020CF60D	OV2710+NVP2441H	39,4	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020CF60D	IMX322+NVP2441H	41,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010CF60C	AR0141H+HTC960	31,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013CF60C	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013CF60C	AR0130+FH8521	35,1	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013CF60C	IMX225+HTC960	36,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
		IPA-V020CF60C	OV2710+FH8530C	41,5	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020CF60C	IMX322+FH8530C	43,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010CF60T	AR0141H+HTC960	31,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013CF60T	OV9750+HTC960	34,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013CF60T	IMX225+HTC960	36,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013CF60T	IMX238+FH8521	38,3	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020CF60T	OV2710+FH8531	41,5	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020CF60T	IMX322+FH8531	43,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
					IR LED: ϕ 5X72PCS IR range: 60M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 312(W)x133(H)x102(D)mm Weight:1.8Kg With Deepbase Add USD3 (MOQ:100) 12pcs in one outer carton

 	AHD	IPA-V010J40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010J40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013J40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013J40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020J40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020J40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010J40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013J40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013J40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013J40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
		IPA-V020J40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020J40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010J40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013J40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013J40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013J40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020J40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020J40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
					IR LED: ϕ 5X42PCS IR range: 40M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 293(W)x80(H)x80(D)mm Weight:1.6Kg 16pcs in one outer carton

 	AHD	IPA-V010J60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	
		IPA-A010J60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013J60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013J60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020J60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020J60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010J60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013J60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013J60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013J60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020J60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020J60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-A010J60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013J60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013J60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
						IR LED: ϕ 5X72PCS IR range: 60M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 308(W)x92(H)x92(D)mm Weight:1.8Kg 12pcs in one outer carton

TVI	IPA-013J60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020J60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020J60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

AHD	IPA-V010CH40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CH40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CH40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CH40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CH40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CH40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CH40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CH40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CH40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CH40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020CH40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CH40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CH40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CH40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CH40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CH40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CH40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CH40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 260(W)x84(H)x89(D)mm Weight:1.26Kg
16pcs in one outer carton

AHD	IPA-V010CH60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CH60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CH60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CH60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CH60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CH60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CH60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CH60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CH60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CH60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020CH60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CH60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CH60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CH60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CH60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CH60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CH60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CH60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 308(W)x102(H)x108(D)mm Weight:1.5Kg
12pcs in one outer carton

AHD	IPA-V010CM40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CM40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CM40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CM40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CM40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CM40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CM40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CM40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CM40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CM40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020CM40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CM40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 291(W) x 91(H) x 87(D)mm Weight:1.4Kg
14pcs in one outer carton



NEW

TVI	IPA-A010CM40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CM40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CM40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CM40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CM40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CM40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

AHD	IPA-V010CM60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CM60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CM60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CM60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CM60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CM60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CM60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CM60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CM60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CM60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020CM60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CM60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CM60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CM60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CM60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CM60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CM60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CM60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT



IR LED: ϕ 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 305(W) x 101(H) x 98(D)mm Weight:1.4Kg
12pcs in one outer carton


AHD	IPA-V010CNS40D	OV9712S+NVP2431H	24,4	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CNS40D	AR0141H+HTC960	24,9	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CNS40D	OV9750+HTC960	28,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CNS40D	IMX225+NVP2431H	30,8	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CNS40D	OV2710+NVP2441H	34,0	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CNS40D	IMX322+NVP2441H	36,2	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CNS40C	AR0141H+HTC960	26,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CNS40C	OV9750+HTC960	28,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CNS40C	AR0130+FH8521	29,7	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CNS40C	IMX225+HTC960	30,8	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020CNS40C	OV2710+FH8530C	36,2	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CNS40C	IMX322+FH8530C	38,3	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CNS40T	AR0141H+HTC960	26,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CNS40T	OV9750+HTC960	28,7	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CNS40T	IMX225+HTC960	30,8	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CNS40T	IMX238+FH8521	33,0	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CNS40T	OV2710+FH8531	36,2	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CNS40T	IMX322+FH8531	38,3	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 291(W) x 90(H) x 93(D)mm Weight:1.6Kg
With Deepbase Add USD3 (MOQ:100)
16pcs in one outer carton

AHD	IPA-V010CNS60D	OV9712S+NVP2431H	28,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CNS60D	AR0141H+HTC960	29,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CNS60D	OV9750+HTC960	33,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CNS60D	IMX225+NVP2431H	35,1	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CNS60D	OV2710+NVP2441H	38,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CNS60D	IMX322+NVP2441H	40,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CNS60C	AR0141H+HTC960	30,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CNS60C	OV9750+HTC960	33,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CNS60C	AR0130+FH8521	34,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CNS60C	IMX225+HTC960	35,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT

IR LED: ϕ 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 305 x 113 x 103mm Weight:1.8Kg

 	IPA-V020CNS60C	OV2710+FH8530C	40,4	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	With Deepbase Add USD3 (MOQ:100) 12pcs in one outer carton
	IPA-S020CNS60C	IMX322+FH8530C	42,6	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	IPA-A010CNS60T	AR0141H+HTC960	30,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
	IPA-V013CNS60T	OV9750+HTC960	33,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
	IPA-S013CNS60T	IMX225+HTC960	35,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
	IPA-013CNS60T	IMX238+FH8521	37,2	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
	IPA-V020CNS60T	OV2710+FH8531	40,4	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
IPA-S020CNS60T	IMX322+FH8531	42,6	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT		

	AHD	IPA-V010CS40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: ϕ 5X42PCS IR range: 40M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 282(W)x90(H)x90(D)mm Weight:1.4Kg 16pcs in one outer carton
		IPA-A010CS40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CS40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CS40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020CS40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CS40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010CS40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013CS40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013CS40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013CS40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020CS40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CS40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010CS40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CS40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013CS40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013CS40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020CS40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CS40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

	AHD	IPA-V010CS60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: ϕ 5X72PCS IR range: 60M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 323(W)x103(H)x106(D)mm Weight:1.9Kg 12pcs in one outer carton
		IPA-A010CS60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CS60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CS60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020CS60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CS60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010CS60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013CS60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013CS60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013CS60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020CS60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CS60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010CS60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CS60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013CS60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013CS60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020CS60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020CS60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

AHD	IPA-V010CU40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CU40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CU40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CU40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CU40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CU40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-A010CU40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CU40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT



CVI	IPA-A013CU40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CU40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020CU40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CU40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CU40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CU40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CU40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CU40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CU40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
IPA-S020CU40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 242(W) x 84(H) x 86(D) mm Weight:1.6Kg
16pcs in one outer carton



AHD	IPA-V010CU60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CU60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CU60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CU60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CU60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CU60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CU60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CU60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CU60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CU60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020CU60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CU60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CU60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CU60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CU60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CU60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CU60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CU60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 298(W) x 100(H) x 106(D)mm Weight:1.7Kg
12pcs in one outer carton



AHD	IPA-V010PT40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010PT40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013PT40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013PT40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020PT40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020PT40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010PT40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013PT40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013PT40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013PT40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020PT40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020PT40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010PT40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013PT40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013PT40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013PT40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020PT40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020PT40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 280.5(W) x 91.5(H) x 84(D) mm
Weight:1.4Kg
**With Deepbase Add USD3 (MOQ:100)
16pcs in one outer carton**

AHD	IPA-V010PT60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010PT60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013PT60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013PT60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020PT60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT



CVI	IPA-S020PT60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-A010PT60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013PT60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013PT60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013PT60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020PT60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020PT60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010PT60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013PT60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013PT60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013PT60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020PT60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020PT60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 5X72PCS IR range: 60M
 2.8-12mm Manual Zoom Lens
 Water resistance: IP66
 3-Axis cable built-in bracket
 Size: 306.5(W) x 108(H) x 96(D) mm
 Weight: 1.85Kg
With Deepbase Add USD3 (MOQ:100)
12pcs in one outer carton



AHD	IPA-V010A40D	OV9712S+NVP2431H	28	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010A40D	AR0141H+HTC960	29	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013A40D	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013A40D	IMX225+NVP2431H	34	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020A40D	OV2710+NVP2441H	37	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020A40D	IMX322+NVP2441H	40	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010A40C	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013A40C	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013A40C	AR0130+FH8521	33	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013A40C	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020A40C	OV2710+FH8530C	40	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020A40C	IMX322+FH8530C	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010A40T	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013A40T	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013A40T	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013A40T	IMX238+FH8521	36	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020A40T	OV2710+FH8531	40	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020A40T	IMX322+FH8531	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 5X42PCS IR range: 40M
 2.8-12mm Manual Zoom Lens
 Water resistance: IP66
 Anti-Cut 2-Axis Bracket
 Size: 200(W) x 171(H) x 83(D)mm Weight: 1.4Kg
With Deepbase Add USD3 (MOQ:100)
16pcs in one outer carton



AHD	IPA-V010A60D	OV9712S+NVP2431H	32	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010A60D	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013A60D	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013A60D	IMX225+NVP2431H	39	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020A60D	OV2710+NVP2441H	42	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020A60D	IMX322+NVP2441H	44	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010A60C	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013A60C	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013A60C	AR0130+FH8521	37	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013A60C	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020A60C	OV2710+FH8530C	44	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020A60C	IMX322+FH8530C	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010A60T	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013A60T	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013A60T	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013A60T	IMX238+FH8521	41	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020A60T	OV2710+FH8531	44	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020A60T	IMX322+FH8531	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 5X72PCS IR range: 60M
 2.8-12mm Manual Zoom Lens (3M Pixels)
 Water resistance: IP66
 Anti-Cut 2-Axis Bracket
 Size: 240(W) x 186(H) x 100(D)mm
 Weight: 1.7Kg
With Deepbase Add USD3 (MOQ:100)
12pcs in one outer carton

	IPA-V010B40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010B40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013B40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT



AHD	IPA-S013B40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020B40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-S020B40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
CVI	IPA-A010B40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013B40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013B40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013B40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020B40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020B40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010B40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013B40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013B40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013B40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020B40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020B40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 260(W)x112(H)x85(D)mm Weight:1.4Kg
16pcs in one outer carton



AHD	IPA-V010B60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010B60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013B60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013B60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020B60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-S020B60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
CVI	IPA-A010B60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013B60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013B60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013B60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020B60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020B60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010B60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013B60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013B60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013B60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020B60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020B60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 275(W)x125(H)x105(D)mm Weight:1.7kg
12pcs in one outer carton



AHD	IPA-V010CE40D	OV9712S+NVP2431H	28	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CE40D	AR0141H+HTC960	29	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CE40D	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CE40D	IMX225+NVP2431H	34	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CE40D	OV2710+NVP2441H	37	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-S020CE40D	IMX322+NVP2441H	40	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
CVI	IPA-A010CE40C	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CE40C	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CE40C	AR0130+FH8521	33	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CE40C	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CE40C	OV2710+FH8530C	40	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CE40C	IMX322+FH8530C	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CE40T	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CE40T	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CE40T	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CE40T	IMX238+FH8521	36	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CE40T	OV2710+FH8531	40	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CE40T	IMX322+FH8531	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 220(W) x 80(H) x 80(D)mm Weight:1.4Kg
16pcs in one outer carton

	IPA-V010CE60D	OV9712S+NVP2431H	32	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
--	---------------	------------------	----	--



AHD	IPA-A010CE60D	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CE60D	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CE60D	IMX225+NVP2431H	39	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CE60D	OV2710+NVP2441H	42	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CE60D	IMX322+NVP2441H	44	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CE60C	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CE60C	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CE60C	AR0130+FH8521	37	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CE60C	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CE60C	OV2710+FH8530C	44	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CE60T	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CE60T	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CE60T	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CE60T	IMX238+FH8521	41	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CE60T	OV2710+FH8531	44	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
IPA-S020CE60T	IMX322+FH8531	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

IR LED: ϕ 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 260(W) x 98(H) x 95(D)mm Weight:1.7Kg
12pcs in one outer carton




AHD	IPA-V010CK40D	OV9712S+NVP2431H	28	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CK40D	AR0141H+HTC960	29	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CK40D	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CK40D	IMX225+NVP2431H	34	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CK40D	OV2710+NVP2441H	37	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CK40D	IMX322+NVP2441H	40	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CK40C	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CK40C	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CK40C	AR0130+FH8521	33	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CK40C	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CK40C	OV2710+FH8530C	40	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CK40C	IMX322+FH8530C	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CK40T	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CK40T	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CK40T	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CK40T	IMX238+FH8521	36	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CK40T	OV2710+FH8531	40	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CK40T	IMX322+FH8531	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


IR LED: ϕ 5X42PCS IR range: 40M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 228(W) x 97(H) x 82(D)mm Weight:1.4Kg
With Deepbase Add USD3 (MOQ:100)
16pcs in one outer carton




AHD	IPA-V010CK60D	OV9712S+NVP2431H	32	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CK60D	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CK60D	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CK60D	IMX225+NVP2431H	39	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CK60D	OV2710+NVP2441H	42	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CK60D	IMX322+NVP2441H	44	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CK60C	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CK60C	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CK60C	AR0130+FH8521	37	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CK60C	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CK60C	OV2710+FH8530C	44	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CK60C	IMX322+FH8530C	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CK60T	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CK60T	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CK60T	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CK60T	IMX238+FH8521	41	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CK60T	OV2710+FH8531	44	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CK60T	IMX322+FH8531	44	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X72PCS IR range: 60M
2.8-12mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 295(W) x 120(H) x 103(D)mm
Weight:1.7Kg
With Deepbase Add USD3 (MOQ:100)
12pcs in one outer carton

	IPA-S020CK60T	IMX322+FH8531	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	AHD	IPA-V010D40D	OV9712S+NVP2431H	28	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010D40D	AR0141H+HTC960	29	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013D40D	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013D40D	IMX225+NVP2431H	34	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020D40D	OV2710+NVP2441H	37	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020D40D	IMX322+NVP2441H	40	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010D40C	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013D40C	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013D40C	AR0130+FH8521	33	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013D40C	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-V020D40C	OV2710+FH8530C	40	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020D40C	IMX322+FH8530C	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010D40T	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013D40T	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013D40T	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013D40T	IMX238+FH8521	36	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020D40T	OV2710+FH8531	40	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020D40T	IMX322+FH8531	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
					IR LED: ϕ 5X42PCS IR range: 40M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 207(W) x 184(H) x 83(D)mm Weight: 1.4Kg 16pcs in one outer carton

	AHD	IPA-V010D60D	OV9712S+NVP2431H	32	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010D60D	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013D60D	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013D60D	IMX225+NVP2431H	39	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020D60D	OV2710+NVP2441H	42	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020D60D	IMX322+NVP2441H	44	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010D60C	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013D60C	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013D60C	AR0130+FH8521	37	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013D60C	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-V020D60C	OV2710+FH8530C	44	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020D60C	IMX322+FH8530C	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010D60T	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013D60T	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013D60T	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013D60T	IMX238+FH8521	41	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020D60T	OV2710+FH8531	44	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020D60T	IMX322+FH8531	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
					IR LED: ϕ 5X72PCS IR range: 60M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 255(W) x 110(H) x 105(D)mm Weight: 1.7Kg 12pcs in one outer carton

	AHD	IPA-V010NK40D	OV9712S+NVP2431H	28	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	
		IPA-A010NK40D	AR0141H+HTC960	29	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013NK40D	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013NK40D	IMX225+NVP2431H	34	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020NK40D	OV2710+NVP2441H	37	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020NK40D	IMX322+NVP2441H	40	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010NK40C	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013NK40C	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013NK40C	AR0130+FH8521	33	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013NK40C	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-V020NK40C	OV2710+FH8530C	40	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020NK40C	IMX322+FH8530C	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010NK40T	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013NK40T	OV9750+HTC960	32	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013NK40T	IMX225+HTC960	34	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
						IR LED: ϕ 5X42PCS IR range: 40M 2.8-12mm Manual Zoom Lens Water resistance: IP66 3-Axis cable built-in bracket Size: 216(W) x 188(H) x 91(D)mm Weight: 1.6Kg With Deepbase Add USD3 (MOQ: 100) 16pcs in one outer carton

TVI	IPA-013NK40T	IMX238+FH8521	36	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020NK40T	OV2710+FH8531	40	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020NK40T	IMX322+FH8531	42	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

AHD	IPA-V010NK60D	OV9712S+NVP2431H	32	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010NK60D	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013NK60D	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013NK60D	IMX225+NVP2431H	39	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020NK60D	OV2710+NVP2441H	42	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020NK60D	IMX322+NVP2441H	44	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010NK60C	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013NK60C	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013NK60C	AR0130+FH8521	37	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013NK60C	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020NK60C	OV2710+FH8530C	44	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020NK60C	IMX322+FH8530C	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010NK60T	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013NK60T	OV9750+HTC960	36	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013NK60T	IMX225+HTC960	39	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013NK60T	IMX238+FH8521	41	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020NK60T	OV2710+FH8531	44	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020NK60T	IMX322+FH8531	46	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X72PCS IR range: 60M
 2.8-12mm Manual Zoom Lens
 Water resistance: IP66
 3-Axis cable built-in bracket
 Size: 220(W) x 200(H) x 107(D)mm
 Weight: 1.8Kg
**With Deepbase Add USD3 (MOQ:100)
 12pcs in one outer carton**

AHD	IPA-V010NF40D	OV9712S+NVP2431H	29	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010NF40D	AR0141H+HTC960	30	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013NF40D	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013NF40D	IMX225+NVP2431H	35	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020NF40D	OV2710+NVP2441H	39	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020NF40D	IMX322+NVP2441H	41	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010NF40C	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013NF40C	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013NF40C	AR0130+FH8521	34	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013NF40C	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020NF40C	OV2710+FH8530C	41	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020NF40C	IMX322+FH8530C	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010NF40T	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013NF40T	OV9750+HTC960	33	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013NF40T	IMX225+HTC960	35	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013NF40T	IMX238+FH8521	37	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020NF40T	OV2710+FH8531	41	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020NF40T	IMX322+FH8531	43	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X42PCS IR range: 40M
 2.8-12mm Manual Zoom Lens
 Water resistance: IP66
 3-Axis cable built-in bracket
 Size: 280(W)x100(H)x91(D)mm Weight: 1.6kg
16pcs in one outer carton

AHD	IPA-V010NF60D	OV9712S+NVP2431H	33	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010NF60D	AR0141H+HTC960	34	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013NF60D	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013NF60D	IMX225+NVP2431H	40	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020NF60D	OV2710+NVP2441H	43	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020NF60D	IMX322+NVP2441H	45	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010NF60C	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013NF60C	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013NF60C	AR0130+FH8521	39	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013NF60C	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020NF60C	OV2710+FH8530C	45	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020NF60C	IMX322+FH8530C	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010NF60T	AR0141H+HTC960	35	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT

IR LED: ϕ 5X72PCS IR range: 60M
 2.8-12mm Manual Zoom Lens
 Water resistance: IP66
 3-Axis cable built-in bracket
 Size: 318(W)x110(H)x107(D)mm Weight: 1.7kg
**12pcs in one outer carton
 Add USD3/pc for Deep Base (MOQ:100)**

TVI	IPA-V013NF60T	OV9750+HTC960	37	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013NF60T	IMX225+HTC960	40	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013NF60T	IMX238+FH8521	42	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020NF60T	OV2710+FH8531	45	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020NF60T	IMX322+FH8531	47	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT



AHD	IPA-V010ST80D	OV9712S+NVP2431H	44	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010ST80D	AR0141H+HTC960	45	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013ST80D	OV9750+HTC960	48	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013ST80D	IMX225+NVP2431H	50	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020ST80D	OV2710+NVP2441H	54	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020ST80D	IMX322+NVP2441H	56	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010ST80C	AR0141H+HTC960	46	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013ST80C	OV9750+HTC960	48	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013ST80C	AR0130+FH8521	49	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013ST80C	IMX225+HTC960	50	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020ST80C	OV2710+FH8530C	56	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020ST80C	IMX322+FH8530C	58	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010ST80T	AR0141H+HTC960	46	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013ST80T	OV9750+HTC960	48	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013ST80T	IMX225+HTC960	50	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013ST80T	IMX238+FH8521	52	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020ST80T	OV2710+FH8531	56	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020ST80T	IMX322+FH8531	58	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT



IR LED: \varnothing 42X4PCS IR range: 80M
6-22mm Manual Zoom Lens
Built-in Auto temperature control
Water resistance: IP66
Anti-Cut Bracket
Size: 230(W) x 180(H) x 115(D)mm Weight: 2.5kg
6pcs in one outer carton



AHD	IPA-V010G60D	OV9712S+NVP2431H	51	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010G60D	AR0141H+HTC960	52	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013G60D	OV9750+HTC960	56	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013G60D	IMX225+NVP2431H	58	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020G60D	OV2710+NVP2441H	61	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020G60D	IMX322+NVP2441H	63	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010G60C	AR0141H+HTC960	54	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013G60C	OV9750+HTC960	56	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013G60C	AR0130+FH8521	57	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013G60C	IMX225+HTC960	58	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020G60C	OV2710+FH8530C	63	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020G60C	IMX322+FH8530C	65	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010G60T	AR0141H+HTC960	54	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013G60T	OV9750+HTC960	56	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013G60T	IMX225+HTC960	58	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013G60T	IMX238+FH8521	60	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020G60T	OV2710+FH8531	63	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020G60T	IMX322+FH8531	65	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT



IR LED: \varnothing 5X36PCS & \varnothing 42X2PCS IR range: 60M
6-22mm Manual Zoom Lens
Water resistance: IP66
3-Axis cable built-in bracket
Size: 255(W) x 144(H) x 86(D)mm Weight: 2.2kg
10pcs in one outer carton

Weatherproof HD Cameras (Fixed Lens)

Picture	Type	Item No.	Sensor+ISP	Price USD	Specification	Remarks
	AHD	IPA-V010J20D	OV9712S+NVP2431H	11,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X24PCS IR range: 20M Board Lens: 3.6mm/F2.0 Water resistance: IP66 3-Axis cable built-in bracket Dimension: 175(W) x 66(H) x 66(D)mm
		IPA-A010J20D	AR0141H+HTC960	12,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013J20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013J20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020J20D	OV2710+NVP2441H	22,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020J20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	TVI	IPA-A010J20C	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013J20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013J20C	AR0130+FH8521	18,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	

 	CVI	IPA-S013J20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	Weight:700g Black/Red/Metallochrome ring is optional (MOQ:200) 50pcs in one outer carton
		IPA-V020J20C	OV2710+FH8530C	24,4	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020J20C	IMX322+FH8530C	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010J20T	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013J20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013J20T	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013J20T	IMX238+FH8521	21,2	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
IPA-V020J20T	OV2710+FH8531	24,4	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT			
IPA-S020J20T	IMX322+FH8531	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT			

 	AHD	IPA-V010R20D	OV9712S+NVP2431H	11,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X24PCS IR range: 20M Board Lens: 3.6mm/F2.0 Water resistance: IP66 3-Axis cable built-in bracket Dimension:142(W) x 70(H) x 66(D)mm Weight:500g 40pcs in one outer carton
		IPA-A010R20D	AR0141H+HTC960	12,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013R20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013R20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020R20D	OV2710+NVP2441H	22,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020R20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010R20C	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013R20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013R20C	AR0130+FH8521	18,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013R20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020R20C	OV2710+FH8530C	24,4	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020R20C	IMX322+FH8530C	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010R20T	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013R20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
IPA-S013R20T		IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
IPA-013R20T		IMX238+FH8521	21,2	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT		
IPA-V020R20T		OV2710+FH8531	24,4	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT		
IPA-S020R20T		IMX322+FH8531	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT		

 	AHD	IPA-V010R25D	OV9712S+NVP2431H	12,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X30PCS IR range: 25M Board Lens: 3.6mm/F2.0 Water resistance: IP66 3-Axis cable built-in bracket Dimension:142(W) x 68(H) x 66(D)mm Weight:500g 40pcs in one outer carton
		IPA-A010R25D	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013R25D	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013R25D	IMX225+NVP2431H	20,1	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020R25D	OV2710+NVP2441H	23,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020R25D	IMX322+NVP2441H	25,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010R25C	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013R25C	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013R25C	AR0130+FH8521	19,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013R25C	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020R25C	OV2710+FH8530C	25,5	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020R25C	IMX322+FH8530C	27,6	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010R25T	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013R25T	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
IPA-S013R25T		IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
IPA-013R25T		IMX238+FH8521	22,3	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT		
IPA-V020R25T		OV2710+FH8531	25,5	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT		
IPA-S020R25T		IMX322+FH8531	27,6	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT		

	AHD	IPA-V010R30D	OV9712S+NVP2431H	18	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X36PCS IR range: 30M
		IPA-A010R30D	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013R30D	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013R30D	IMX225+NVP2431H	25	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020R30D	OV2710+NVP2441H	28	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020R30D	IMX322+NVP2441H	30	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010R30C	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013R30C	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	



CVI	IPA-A013R30C	AR0130+FH8521	24	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013R30C	IMX225+HTC960	25	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020R30C	OV2710+FH8530C	30	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020R30C	IMX322+FH8530C	32	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010R30T	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013R30T	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013R30T	IMX225+HTC960	25	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013R30T	IMX238+FH8521	27	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020R30T	OV2710+FH8531	30	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020R30T	IMX322+FH8531	32	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X48PCS IR range: 40M
 Board Lens: 3.6mm/F2.0
 Water resistance: IP66
 3-Axis cable built-in bracket
 Dimension:177(W) x 76(H) x 74(D)mm
 Weight:700g
50pcs in one outer carton



AHD	IPA-V010R40D	OV9712S+NVP2431H	19	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010R40D	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013R40D	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013R40D	IMX225+NVP2431H	26	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020R40D	OV2710+NVP2441H	29	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020R40D	IMX322+NVP2441H	31	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010R40C	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013R40C	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013R40C	AR0130+FH8521	25	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013R40C	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020R40C	OV2710+FH8530C	31	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020R40C	IMX322+FH8530C	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010R40T	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013R40T	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013R40T	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013R40T	IMX238+FH8521	28	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020R40T	OV2710+FH8531	31	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020R40T	IMX322+FH8531	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 5X48PCS IR range: 40M
 Board Lens: 3.6mm/F2.0
 Water resistance: IP66
 3-Axis cable built-in bracket
 Dimension:177(W) x 76(H) x 74(D)mm
 Weight:700g
50pcs in one outer carton



AHD	IPA-V010K20D	OV9712S+NVP2431H	12,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010K20D	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013K20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013K20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-S020K20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010K20C	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013K20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013K20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
TVI	IPA-A010K20T	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013K20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013K20T	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT

IR LED: ϕ 5X24PCS IR range: 20M
 Board Lens: 3.6mm/F2.0
 Water Resistance:IP66
 Anti-Cut 3-Axis Bracket
 Dimension:86(W) x 60(H) x 55(D)mm
 Weight:400g
40pcs in one outer carton



AHD	IPA-V010CNS20D	OV9712S+NVP2431H	13,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CNS20D	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CNS20D	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CNS20D	IMX225+NVP2431H	20,1	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020CNS20D	OV2710+NVP2441H	23,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CNS20D	IMX322+NVP2441H	25,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CNS20C	AR0141H+HTC960	15,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CNS20C	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CNS20C	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
TVI	IPA-A010CNS20T	AR0141H+HTC960	15,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CNS20T	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CNS20T	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT

IR LED: ϕ 5X24PCS IR range: 20M
 Board Lens: 3.6mm/F2.0
 Water Resistance:IP66
 Anti-Cut 3-Axis Bracket
 Dimension:208(W) x 66(H) x 65(D)mm
 Weight:500g
40pcs in one outer carton

	IPA-V010CN20D	OV9712S+NVP2431H	12,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
--	---------------	------------------	------	--



HOT

AHD	IPA-A010CN20D	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CN20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CN20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CN20D	OV2710+NVP2441H	22,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CN20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CN20C	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CN20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CN20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
TVI	IPA-A010CN20T	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CN20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CN20T	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT

IR LED: ϕ 5X24PCS IR range: 20M
 Board Lens: 3.6mm/F2.0
 Water Resistance: IP66
 Anti-Cut 3-Axis Bracket
 Dimension: 168(W) x 73(H) x 65(D)mm
 Weight: 500g
40pcs in one outer carton



AHD	IPA-V010CN25D	OV9712S+NVP2431H	17	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CN25D	AR0141H+HTC960	18	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CN25D	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CN25D	IMX225+NVP2431H	24	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CN25D	OV2710+NVP2441H	27	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CN25D	IMX322+NVP2441H	29	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CN25C	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CN25C	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CN25C	AR0130+FH8521	22	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CN25C	IMX225+HTC960	24	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CN25C	OV2710+FH8530C	29	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CN25C	IMX322+FH8530C	31	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CN25T	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CN25T	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CN25T	IMX225+HTC960	24	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CN25T	IMX238+FH8521	26	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CN25T	OV2710+FH8531	29	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CN25T	IMX322+FH8531	31	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


IR LED: ϕ 5X30PCS IR range: 25M
 Board Lens: 3.6mm/F2.0
 Water Resistance: IP66
 Anti-Cut 3-Axis Bracket
 Dimension: 196(W) x 89(H) x 75(D)mm
 Weight: 880g
18pcs in one outer carton





AHD	IPA-V010CN30D	OV9712S+NVP2431H	18	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CN30D	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CN30D	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CN30D	IMX225+NVP2431H	25	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020CN30D	OV2710+NVP2441H	28	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020CN30D	IMX322+NVP2441H	30	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010CN30C	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013CN30C	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013CN30C	AR0130+FH8521	24	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013CN30C	IMX225+HTC960	25	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020CN30C	OV2710+FH8530C	30	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CN30C	IMX322+FH8530C	32	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010CN30T	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CN30T	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013CN30T	IMX225+HTC960	25	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013CN30T	IMX238+FH8521	27	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020CN30T	OV2710+FH8531	30	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020CN30T	IMX322+FH8531	32	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


IR LED: ϕ 5X36PCS IR range: 30M
 CS Lens 6mm/F2.0
 Water resistance: IP66
 Anti-Cut 3-Axis Bracket
 Dimension: 213(W) x 93(H) x 83(D)mm
 Weight: 880g
18pcs in one outer carton


AHD	IPA-V010CF25D	OV9712S+NVP2431H	19	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010CF25D	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013CF25D	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013CF25D	IMX225+NVP2431H	26	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT

	CVI	IPA-V020CF25D	OV2710+NVP2441H	29	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	IR LED: \varnothing 5X30PCS IR range: 25M Board Lens: 3.6mm/F2.0 Water Resistance:IP66 Anti-Cut 3-Axis Bracket Dimension:228(W) x 72(H) x 72(D)mm Weight:700g 25pcs in one outer carton
		IPA-S020CF25D	IMX322+NVP2441H	31	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-A010CF25C	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
	IPA-V013CF25C	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CF25C	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT		
	TVI	IPA-A010CF25T	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
IPA-V013CF25T	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT			
IPA-S013CF25T	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT			



	AHD	IPA-V010CM25D	OV9712S+NVP2431H	19	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X30PCS IR range: 25M Board Lens: 3.6mm/F2.0 Water Resistance:IP66 Anti-Cut 3-Axis Bracket Dimension:228(W) x 72(H) x 72(D)mm Weight:700g 25pcs in one outer carton
		IPA-A010CM25D	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CM25D	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CM25D	IMX225+NVP2431H	26	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT	
		IPA-V020CM25D	OV2710+NVP2441H	29	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CM25D	IMX322+NVP2441H	31	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
CVI	IPA-A010CM25C	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT		
	IPA-V013CM25C	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CM25C	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT		
TVI	IPA-A010CM25T	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT		
	IPA-V013CM25T	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CM25T	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		

	AHD	IPA-V010CZ20D	OV9712S+NVP2431H	13,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X24PCS IR range: 20M Board Lens: 3.6mm/F2.0 Water Resistance:IP66 Anti-Cut 3-Axis Bracket Dimension:180(W) x70(H) x65(D)mm Weight:550g 40pcs in one outer carton
		IPA-A010CZ20D	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CZ20D	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CZ20D	IMX225+NVP2431H	20,1	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT	
		IPA-V020CZ20D	OV2710+NVP2441H	23,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CZ20D	IMX322+NVP2441H	25,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
CVI	IPA-A010CZ20C	AR0141H+HTC960	15,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT		
	IPA-V013CZ20C	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CZ20C	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT		
TVI	IPA-A010CZ20T	AR0141H+HTC960	15,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT		
	IPA-V013CZ20T	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CZ20T	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		



	AHD	IPA-V010CY20D	OV9712S+NVP2431H	13,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X24PCS IR range: 20M Board Lens: 3.6mm/F2.0 Water Resistance:IP66 Anti-Cut 3-Axis Bracket Dimension:216(W) x68(H) x77(D)mm Weight:450g 40pcs in one outer carton
		IPA-A010CY20D	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CY20D	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CY20D	IMX225+NVP2431H	20,1	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT	
		IPA-V020CY20D	OV2710+NVP2441H	23,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CY20D	IMX322+NVP2441H	25,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
CVI	IPA-A010CY20C	AR0141H+HTC960	15,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT		
	IPA-V013CY20C	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CY20C	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT		
TVI	IPA-A010CY20T	AR0141H+HTC960	15,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT		
	IPA-V013CY20T	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CY20T	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		

	AHD	IPA-V010CE20D	OV9712S+NVP2431H	13,7	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 5X24PCS IR range: 20M Board Lens: 3.6mm/F2.0 Water Resistance:IP66 Anti-Cut 3-Axis Bracket Dimension:185(W) x70(H) x60(D)mm Weight:450g 40pcs in one outer carton
		IPA-A010CE20D	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013CE20D	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013CE20D	IMX225+NVP2431H	20,1	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT	
		IPA-V020CE20D	OV2710+NVP2441H	23,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020CE20D	IMX322+NVP2441H	25,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
CVI	IPA-A010CE20C	AR0141H+HTC960	15,3	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT		
	IPA-V013CE20C	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT		
	IPA-S013CE20C	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT		



		IPA-S013CK20C	IMX225+HTC960	22	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
TVI		IPA-A010CK20T	AR0141H+HTC960	18	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013CK20T	OV9750+HTC960	20	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013CK20T	IMX225+HTC960	22	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT

 	AHD	IPA-V010RG20D	OV9712S+NVP2431H	19	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010RG20D	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013RG20D	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013RG20D	IMX225+NVP2431H	26	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020RG20D	OV2710+NVP2441H	29	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020RG20D	IMX322+NVP2441H	31	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010RG20C	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013RG20C	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013RG20C	AR0130+FH8521	25	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013RG20C	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
		IPA-V020RG20C	OV2710+FH8530C	31	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020RG20C	IMX322+FH8530C	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010RG20T	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013RG20T	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013RG20T	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013RG20T	IMX238+FH8521	28	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020RG20T	OV2710+FH8531	31	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020RG20T	IMX322+FH8531	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT






IR LED: \varnothing 42X1PC IR rang:20M
Board Lens 3.6mm/F2.0
Water resistance: IP66
3-Axis cable built-in bracket
Size: 293(W) x 95(H) x 93(D)mm Weight:1.3kg
16pcs in one outer carton

 	AHD	IPA-V010RG40D	OV9712S+NVP2431H	22	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010RG40D	AR0141H+HTC960	24	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013RG40D	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013RG40D	IMX225+NVP2431H	29	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020RG40D	OV2710+NVP2441H	32	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020RG40D	IMX322+NVP2441H	34	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010RG40C	AR0141H+HTC960	25	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013RG40C	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013RG40C	AR0130+FH8521	28	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013RG40C	IMX225+HTC960	29	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
		IPA-V020RG40C	OV2710+FH8530C	34	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020RG40C	IMX322+FH8530C	36	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010RG40T	AR0141H+HTC960	25	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013RG40T	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013RG40T	IMX225+HTC960	29	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013RG40T	IMX238+FH8521	31	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020RG40T	OV2710+FH8531	34	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020RG40T	IMX322+FH8531	36	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 42X2PC IR rang:40M
CS Lens 6mm/F2.0
Water resistance: IP66
Size: 291.5(W)x101.5(H)x97.5(D)mm
Weight:1.7kg
12pcs in one outer carton

 	AHD	IPA-V010RK20D	OV9712S+NVP2431H	19	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010RK20D	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013RK20D	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013RK20D	IMX225+NVP2431H	26	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020RK20D	OV2710+NVP2441H	29	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020RK20D	IMX322+NVP2441H	31	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010RK20C	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013RK20C	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013RK20C	AR0130+FH8521	25	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013RK20C	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
		IPA-V020RK20C	OV2710+FH8530C	31	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020RK20C	IMX322+FH8530C	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010RK20T	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013RK20T	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013RK20T	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT

IR LED: \varnothing 42X1PC IR rang:20M
Board Lens 3.6mm/F2.0
Water resistance: IP66
3-Axis cable built-in bracket
Size: 266(W) x 85(H) x 89(D)mm Weight:1.3kg
16pcs in one outer carton

TVI	IPA-013RK20T	IMX238+FH8521	28	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT		
	IPA-V020RK20T	OV2710+FH8531	31	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT		
	IPA-S020RK20T	IMX322+FH8531	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT		
 	AHD	IPA-V010RK40D	OV9712S+NVP2431H	22	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 42X2PC IR rang:40M CS Lens 6mm/F2.0 Water resistance: IP66 Size: 219.5(W)x101.5(H)x97.5(D)mm Weight:1.7kg 12pcs in one outer carton
		IPA-A010RK40D	AR0141H+HTC960	24	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013RK40D	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013RK40D	IMX225+NVP2431H	29	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020RK40D	OV2710+NVP2441H	32	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020RK40D	IMX322+NVP2441H	34	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010RK40C	AR0141H+HTC960	25	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013RK40C	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013RK40C	AR0130+FH8521	28	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013RK40C	IMX225+HTC960	29	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-V020RK40C	OV2710+FH8530C	34	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020RK40C	IMX322+FH8530C	36	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010RK40T	AR0141H+HTC960	25	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013RK40T	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013RK40T	IMX225+HTC960	29	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013RK40T	IMX238+FH8521	31	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020RK40T	OV2710+FH8531	34	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020RK40T	IMX322+FH8531	36	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	AHD	IPA-V010RJ40D	OV9712S+NVP2431H	17	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 42X2PC IR rang:40M Board Lens 6mm/F2.0 Water resistance: IP66 Size: 155(W) x 86(H) x 102mm(D) Weight:800g With Bracket Add USD4 (Same Bracket as F20)
		IPA-A010RJ40D	AR0141H+HTC960	18	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013RJ40D	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013RJ40D	IMX225+NVP2431H	24	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020RJ40D	OV2710+NVP2441H	27	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020RJ40D	IMX322+NVP2441H	29	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A013RJ40C	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013RJ40C	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013RJ40C	AR0130+FH8521	24	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
	TVI	IPA-A013RJ40T	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013RJ40T	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013RJ40T	IMX225+HTC960	24	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
 	AHD	IPA-V010L20D	OV9712S+NVP2431H	17	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	IR LED: \varnothing 42X1PC IR range: 20M Board lens 3.6mm/F2.0 Water resistance: IP66 Size: 130(W) x 77.5(H) x 80(D)mm Weight:800g 25pcs in one outer carton
		IPA-A010L20D	AR0141H+HTC960	18	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013L20D	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013L20D	IMX225+NVP2431H	24	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020L20D	OV2710+NVP2441H	27	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020L20D	IMX322+NVP2441H	29	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010L20C	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013L20C	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013L20C	AR0130+FH8521	22	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013L20C	IMX225+HTC960	24	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-V020L20C	OV2710+FH8530C	29	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020L20C	IMX322+FH8530C	31	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010L20T	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013L20T	OV9750+HTC960	21	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	

TVI	IPA-S013L20T	IMX225+HTC960	24	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013L20T	IMX238+FH8521	26	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020L20T	OV2710+FH8531	29	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020L20T	IMX322+FH8531	31	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

AHD	IPA-V010L60D	OV9712S+NVP2431H	21	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010L60D	AR0141H+HTC960	22	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013L60D	OV9750+HTC960	26	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013L60D	IMX225+NVP2431H	28	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020L60D	OV2710+NVP2441H	31	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020L60D	IMX322+NVP2441H	33	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010L60C	AR0141H+HTC960	24	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013L60C	OV9750+HTC960	26	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013L60C	AR0130+FH8521	27	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013L60C	IMX225+HTC960	28	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020L60C	OV2710+FH8530C	33	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
IPA-S020L60C	IMX322+FH8530C	35	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
TVI	IPA-A010L60T	AR0141H+HTC960	24	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013L60T	OV9750+HTC960	26	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013L60T	IMX225+HTC960	28	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013L60T	IMX238+FH8521	30	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020L60T	OV2710+FH8531	33	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020L60T	IMX322+FH8531	35	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: ϕ 42X2PC IR range: 60M
CS Lens 6mm/F2.5
Water resistance: IP66
Size: 167(W) x 87(H) x 97(D)mm Weight:1.2kg
25pcs in one outer carton


AHD	IPA-V010L90D	OV9712S+NVP2431H	26	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010L90D	AR0141H+HTC960	27	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013L90D	OV9750+HTC960	30	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013L90D	IMX225+NVP2431H	32	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020L90D	OV2710+NVP2441H	35	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020L90D	IMX322+NVP2441H	37	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010L90C	AR0141H+HTC960	28	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013L90C	OV9750+HTC960	30	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013L90C	AR0130+FH8521	31	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013L90C	IMX225+HTC960	32	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020L90C	OV2710+FH8530C	37	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020L90C	IMX322+FH8530C	40	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010L90T	AR0141H+HTC960	28	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013L90T	OV9750+HTC960	30	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013L90T	IMX225+HTC960	32	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013L90T	IMX238+FH8521	34	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020L90T	OV2710+FH8531	37	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020L90T	IMX322+FH8531	40	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


IR LED: ϕ 42X4PC IR LED Working Distance:90M
Third Generation Led
CS Lens 6mm/F2.5
Water resistance: IP66
Size: 205(W) x 88(H) x 120(D)mm Weight:1.3kg
16pcs in one outer carton

AHD	IPA-V010F20D	OV9712S+NVP2431H	18	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010F20D	AR0141H+HTC960	19	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013F20D	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013F20D	IMX225+NVP2431H	25	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020F20D	OV2710+NVP2441H	28	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020F20D	IMX322+NVP2441H	30	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010F20C	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013F20C	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013F20C	AR0130+FH8521	24	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013F20C	IMX225+HTC960	25	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020F20C	OV2710+FH8530C	30	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


IR LED: ϕ 42X1PC IR range: 20M
Board lens 3.6mm/F2.0
Water resistance: IP66
Size: 200(W) x 82(H) x 91(D)mm Weight:1.3kg
25pcs in one outer carton
With Bracket Add USD4



	IPA-S020F20C	IMX322+FH8530C	32	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010F20T	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013F20T	OV9750+HTC960	22	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013F20T	IMX225+HTC960	25	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013F20T	IMX238+FH8521	27	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020F20T	OV2710+FH8531	30	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020F20T	IMX322+FH8531	32	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


	AHD	IPA-V010H40D	OV9712S+NVP2431H	24	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010H40D	AR0141H+HTC960	25	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013H40D	OV9750+HTC960	28	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013H40D	IMX225+NVP2431H	30	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020H40D	OV2710+NVP2441H	33	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020H40D	IMX322+NVP2441H	35	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010H40C	AR0141H+HTC960	26	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013H40C	OV9750+HTC960	28	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013H40C	AR0130+FH8521	29	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013H40C	IMX225+HTC960	30	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
		IPA-V020H40C	OV2710+FH8530C	35	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020H40C	IMX322+FH8530C	37	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010H40T	AR0141H+HTC960	26	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013H40T	OV9750+HTC960	28	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013H40T	IMX225+HTC960	30	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013H40T	IMX238+FH8521	32	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020H40T	OV2710+FH8531	35	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020H40T	IMX322+FH8531	37	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 42X2PC IR range: 40M
CS 8mm lens
Water resistance: IP66
Size: 212(W) x 93(H) x 110(D)mm Weight:1.5kg
25pcs in one outer carton
With Bracket Add USD3

	AHD	IPA-V010H80D	OV9712S+NVP2431H	30	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
		IPA-A010H80D	AR0141H+HTC960	31	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013H80D	OV9750+HTC960	34	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
		IPA-S013H80D	IMX225+NVP2431H	36	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
		IPA-V020H80D	OV2710+NVP2441H	40	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
		IPA-S020H80D	IMX322+NVP2441H	42	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	CVI	IPA-A010H80C	AR0141H+HTC960	32	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
		IPA-V013H80C	OV9750+HTC960	34	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-A013H80C	AR0130+FH8521	35	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
		IPA-S013H80C	IMX225+HTC960	36	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
		IPA-V020H80C	OV2710+FH8530C	42	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020H80C	IMX322+FH8530C	44	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	TVI	IPA-A010H80T	AR0141H+HTC960	32	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
		IPA-V013H80T	OV9750+HTC960	34	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-S013H80T	IMX225+HTC960	36	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
		IPA-013H80T	IMX238+FH8521	39	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
		IPA-V020H80T	OV2710+FH8531	42	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
		IPA-S020H80T	IMX322+FH8531	44	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

IR LED: \varnothing 42X4PC IR LED Working Distance:80M
Third Generation Led
CS 12mm lens (3M Pixels)
Water resistance: IP66
Size: 275(W) x 113(H) x 139(D)mm Weight:2.0kg
12pcs in one outer carton
With Bracket Add USD3

Dome HD Cameras (Fixed Lens)

Picture	Type	Item No.	Sensor+ISP	Price USD	Specification	Remarks
	AHD	IPA-V010SH20D	OV9712S+NVP2431H	11,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	
		IPA-A010SH20D	AR0141H+HTC960	12,1	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SH20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013SH20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020SH20D	OV2710+NVP2441H	22,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020SH20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-A010SH20C	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	



HOT

CVI	IPA-V013SH20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013SH20C	AR0130+FH8521	18,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	KAH-S013SH20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020SH20C	OV2710+FH8530C	24,4	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020SH20C	IMX322+FH8530C	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010SH20T	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013SH20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013SH20T	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013SH20T	IMX238+FH8521	21,2	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020SH20T	OV2710+FH8531	24,4	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
IPA-S020SH20T	IMX322+FH8531	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

Vandalproof IR Dome Camera
 IR LED: \varnothing 5X24PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Dimension: \varnothing 94 x 69(H) mm Weight:400g
50pcs in one outer carton



HOT

AHD	IPA-V010SL20D	OV9712S+NVP2431H	12,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010SL20D	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013SL20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013SL20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020SL20D	OV2710+NVP2441H	22,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020SL20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010SL20C	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013SL20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013SL20C	AR0130+FH8521	18,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013SL20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020SL20C	OV2710+FH8530C	24,4	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020SL20C	IMX322+FH8530C	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010SL20T	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013SL20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013SL20T	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013SL20T	IMX238+FH8521	21,2	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020SL20T	OV2710+FH8531	24,4	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020SL20T	IMX322+FH8531	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Vandalproof IR Dome Camera
 IR LED: \varnothing 5X24PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Rubber Ring: Blue, Green, and Black for free choice
 Size: Dimension: \varnothing 120 x 84.5(H) mm
 Weight:450g
50pcs in one outer carton
Black or Orange rubble ring is free for your choices (MOQ: 200pcs)



HOT

AHD	IPA-V010HV20D	OV9712S+NVP2431H	12,6	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010HV20D	AR0141H+HTC960	13,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013HV20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013HV20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020HV20D	OV2710+NVP2441H	22,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020HV20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010HV20C	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013HV20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013HV20C	AR0130+FH8521	18,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013HV20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT
	IPA-V020HV20C	OV2710+FH8530C	24,4	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020HV20C	IMX322+FH8530C	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010HV20T	AR0141H+HTC960	14,2	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013HV20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013HV20T	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013HV20T	IMX238+FH8521	21,2	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020HV20T	OV2710+FH8531	24,4	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020HV20T	IMX322+FH8531	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Vandalproof IR Dome Camera
 IR LED: \varnothing 5X24PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Size: Dimension: \varnothing 89 x 76(H) mm Weight:450g
50pcs in one outer carton

AHD	IPA-V010SP20D	OV9712S+NVP2431H	14	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010SP20D	AR0141H+HTC960	15	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013SP20D	OV9750+HTC960	18	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013SP20D	IMX225+NVP2431H	20	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020SP20D	OV2710+NVP2441H	24	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020SP20D	IMX322+NVP2441H	26	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-A010SP20C	AR0141H+HTC960	16	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT



CVI	IPA-V013SP20C	OV9750+HTC960	18	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013SP20C	AR0130+FH8521	19	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013SP20C	IMX225+HTC960	20	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020SP20C	OV2710+FH8530C	26	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020SP20C	IMX322+FH8530C	28	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010SP20T	AR0141H+HTC960	16	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013SP20T	OV9750+HTC960	18	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013SP20T	IMX225+HTC960	20	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013SP20T	IMX238+FH8521	22	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020SP20T	OV2710+FH8531	26	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020SP20T	IMX322+FH8531	28	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Vandalproof IR Dome Camera
 IR LED: \varnothing 5X24PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Size: Dimension: \varnothing 94 x 69(H) mm Weight:400g
50pcs in one outer carton



AHD	IPA-V010SM20D	OV9712S+NVP2431H	14	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010SM20D	AR0141H+HTC960	15	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013SM20D	OV9750+HTC960	18	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013SM20D	IMX225+NVP2431H	20	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020SM20D	OV2710+NVP2441H	24	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020SM20D	IMX322+NVP2441H	26	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010SM20C	AR0141H+HTC960	16	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013SM20C	OV9750+HTC960	18	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013SM20C	AR0130+FH8521	19	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013SM20C	IMX225+HTC960	20	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020SM20C	OV2710+FH8530C	26	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020SM20C	IMX322+FH8530C	28	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010SM20T	AR0141H+HTC960	16	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013SM20T	OV9750+HTC960	18	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013SM20T	IMX225+HTC960	20	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013SM20T	IMX238+FH8521	22	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020SM20T	OV2710+FH8531	26	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020SM20T	IMX322+FH8531	28	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Vandalproof IR Dome Camera
 IR LED: \varnothing 5X24PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Size: Dimension: \varnothing 94 x 69(H) mm Weight:500g
50pcs in one outer carton



AHD	IPA-V010PSH20D	OV9712S+NVP2431H	11	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010PSH20D	AR0141H+HTC960	12	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013PSH20D	OV9750+HTC960	16	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013PSH20D	IMX225+NVP2431H	18	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT
	IPA-V020PSH20D	OV2710+NVP2441H	21	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020PSH20D	IMX322+NVP2441H	24	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010PSH20C	AR0141H+HTC960	13	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013PSH20C	OV9750+HTC960	16	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013PSH20C	AR0130+FH8521	17	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013PSH20C	IMX225+HTC960	18	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020PSH20C	OV2710+FH8530C	24	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020PSH20C	IMX322+FH8530C	26	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010PSH20T	AR0141H+HTC960	13	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013PSH20T	OV9750+HTC960	16	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013PSH20T	IMX225+HTC960	18	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013PSH20T	IMX238+FH8521	20	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020PSH20T	OV2710+FH8531	24	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020PSH20T	IMX322+FH8531	26	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Plastic IR Dome Camera
 IR LED: \varnothing 5X24PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Size: Dimension: \varnothing 94 x 69(H) mm Weight:300g
50pcs in one outer carton

AHD	IPA-V010RH20D	OV9712S+NVP2431H	12,1	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010RH20D	AR0141H+HTC960	12,6	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013RH20D	OV9750+HTC960	15,8	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013RH20D	IMX225+NVP2431H	18,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT



NEW

CVI	IPA-V020RH20D	OV2710+NVP2441H	21,2	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020RH20D	IMX322+NVP2441H	23,3	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-A010RH20C	AR0141H+HTC960	13,7	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013RH20C	OV9750+HTC960	15,8	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013RH20C	AR0130+FH8521	16,9	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013RH20C	IMX225+HTC960	18,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
TVI	IPA-V020RH20C	OV2710+FH8530C	23,3	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020RH20C	IMX322+FH8530C	25,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-A010RH20T	AR0141H+HTC960	13,7	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013RH20T	OV9750+HTC960	15,8	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013RH20T	IMX225+HTC960	18,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013RH20T	IMX238+FH8521	20,1	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
TVI	IPA-V020RH20T	OV2710+FH8531	23,3	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020RH20T	IMX322+FH8531	25,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Plastic IR Dome Camera
 IR LED: \varnothing 5X24PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Size: Dimension: \varnothing 110.5 x 95(H) mm
 Weight:800g



HOT

AHD	IPA-V010RF20D	OV9712S+NVP2431H	13,2	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010RF20D	AR0141H+HTC960	13,7	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013RF20D	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013RF20D	IMX225+NVP2431H	19,0	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020RF20D	OV2710+NVP2441H	22,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020RF20D	IMX322+NVP2441H	24,4	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010RF20C	AR0141H+HTC960	14,8	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013RF20C	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013RF20C	AR0130+FH8521	18,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013RF20C	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020RF20C	OV2710+FH8530C	24,4	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020RF20C	IMX322+FH8530C	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010RF20T	AR0141H+HTC960	14,8	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013RF20T	OV9750+HTC960	16,9	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013RF20T	IMX225+HTC960	19,0	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013RF20T	IMX238+FH8521	21,2	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020RF20T	OV2710+FH8531	24,4	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020RF20T	IMX322+FH8531	26,5	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Plastic IR Dome Camera
 IR LED: \varnothing 5X21PCS IR LED Working Distance:20M
 Lens: Board Lens 3.6mm/F2.0
 3-Axis cable built-in bracket
 Size: Dimension: \varnothing 128 x 98.5(H) mm
 Weight:750g
24pcs in one outer carton









HOT



AHD	IPA-V010DR40D	OV9712S+NVP2431H	22	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010DR40D	AR0141H+HTC960	24	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013DR40D	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013DR40D	IMX225+NVP2431H	29	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020DR40D	OV2710+NVP2441H	32	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020DR40D	IMX322+NVP2441H	34	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010DR40C	AR0141H+HTC960	25	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013DR40C	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013DR40C	AR0130+FH8521	28	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013DR40C	IMX225+HTC960	29	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020DR40C	OV2710+FH8530C	34	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020DR40C	IMX322+FH8530C	36	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010DR40T	AR0141H+HTC960	25	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013DR40T	OV9750+HTC960	27	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013DR40T	IMX225+HTC960	29	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013DR40T	IMX238+FH8521	31	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020DR40T	OV2710+FH8531	34	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020DR40T	IMX322+FH8531	36	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT


Vandalproof IR Dome Camera
 IR LED: \varnothing 42X2PC IR range: 40M
 CS Lens 6.0mm/F2.0
 3-Axis cable built-in bracket
 Dimension: \varnothing 120 x 100(H) mm
 Weight:800g


Dome HD Cameras (Varifocal Lens)


Picture	Type	Item No.	Sensor+ISP	Price USD	Specification	Remarks
  	AHD	IPA-V010SHT30D	OV9712S+NVP2431H	16,9	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Vandalproof IR Dome Camera IR LED: \varnothing 5X36PCS IR LED Working Distance:30M Lens: 2.8-12mm Manual Zoom Lens 3-Axis cable built-in bracket Dimension: \varnothing 131 x 93(H) mm Weight:800g Add USD3/pc with Deep Base (MOQ:100) 24pcs in one outer carton
		IPA-A010SHT30D	AR0141H+HTC960	17,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHT30D	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013SHT30D	IMX225+NVP2431H	24,4	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT	
		IPA-V020SHT30D	OV2710+NVP2441H	27,6	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020SHT30D	IMX322+NVP2441H	29,7	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010SHT30C	AR0141H+HTC960	18,5	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013SHT30C	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013SHT30C	AR0130+FH8521	23,3	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013SHT30C	IMX225+HTC960	24,4	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020SHT30C	OV2710+FH8530C	29,7	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020SHT30C	IMX322+FH8530C	31,9	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010SHT30T	AR0141H+HTC960	18,5	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHT30T	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013SHT30T	IMX225+HTC960	24,4	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013SHT30T	IMX238+FH8521	26,5	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020SHT30T	OV2710+FH8531	29,7	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020SHT30T	IMX322+FH8531	31,9	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

  	AHD	IPA-V010SHR30D	OV9712S+NVP2431H	18,0	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Vandalproof IR Dome Camera IR LED: \varnothing 5X36PCS IR LED Working Distance:30M Lens: 2.8-12mm Manual Zoom Lens 3-Axis cable built-in bracket Dimension: \varnothing 131 x 93(H) mm Weight:800g Add USD3/pc with Deep Base (MOQ:100) Black or Orange rubble ring is free for your choices (MOQ: 200pcs) 24pcs in one outer carton
		IPA-A010SHR30D	AR0141H+HTC960	18,5	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHR30D	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013SHR30D	IMX225+NVP2431H	24,4	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT	
		IPA-V020SHR30D	OV2710+NVP2441H	27,6	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020SHR30D	IMX322+NVP2441H	29,7	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010SHR30C	AR0141H+HTC960	19,6	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013SHR30C	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013SHR30C	AR0130+FH8521	23,3	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013SHR30C	IMX225+HTC960	24,4	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020SHR30C	OV2710+FH8530C	29,7	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020SHR30C	IMX322+FH8530C	31,9	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010SHR30T	AR0141H+HTC960	19,6	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHR30T	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013SHR30T	IMX225+HTC960	24,4	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013SHR30T	IMX238+FH8521	26,5	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020SHR30T	OV2710+FH8531	29,7	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020SHR30T	IMX322+FH8531	31,9	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

 	AHD	IPA-V010SHV30D	OV9712S+NVP2431H	18,0	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Vandalproof IR Dome Camera IR LED: \varnothing 5X36PCS IR LED Working Distance:30M Lens: 2.8-12mm Manual Zoom Lens 3-Axis cable built-in bracket Dimension:125(W) x 105.8(H) x 135(D)mm Weight:800g 24pcs in one outer carton
		IPA-A010SHV30D	AR0141H+HTC960	18,5	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHV30D	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013SHV30D	IMX225+NVP2431H	24,4	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT	
		IPA-V020SHV30D	OV2710+NVP2441H	27,6	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020SHV30D	IMX322+NVP2441H	29,7	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010SHV30C	AR0141H+HTC960	19,6	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013SHV30C	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013SHV30C	AR0130+FH8521	23,3	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013SHV30C	IMX225+HTC960	24,4	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020SHV30C	OV2710+FH8530C	29,7	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020SHV30C	IMX322+FH8530C	31,9	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010SHV30T	AR0141H+HTC960	19,6	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHV30T	OV9750+HTC960	22,3	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013SHV30T	IMX225+HTC960	24,4	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013SHV30T	IMX238+FH8521	26,5	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020SHV30T	OV2710+FH8531	29,7	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

	IPA-S020SHV30T	IMX322+FH8531	31,9	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT		
	AHD	IPA-V010SHS30D	OV9712S+NVP2431H	20,3	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Vandalproof IR Dome Camera IR LED: \varnothing 5X36PCS IR LED Working Distance:30M Lens: 2.8-12mm Manual Zoom Lens 3-Axis cable built-in bracket Dimension: \varnothing 131 x 93(H) mm Weight:900g 24pcs in one outer carton
		IPA-A010SHS30D	AR0141H+HTC960	21,4	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHS30D	OV9750+HTC960	24,6	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013SHS30D	IMX225+NVP2431H	26,8	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020SHS30D	OV2710+NVP2441H	30,0	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020SHS30D	IMX322+NVP2441H	32,1	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010SHS30C	AR0141H+HTC960	22,5	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013SHS30C	OV9750+HTC960	24,6	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013SHS30C	AR0130+FH8521	25,7	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumincation, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013SHS30C	IMX225+HTC960	26,8	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020SHS30C	OV2710+FH8530C	32,1	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	
		IPA-S020SHS30C	IMX322+FH8530C	34,2	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010SHS30T	AR0141H+HTC960	22,5	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013SHS30T	OV9750+HTC960	24,6	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013SHS30T	IMX225+HTC960	26,8	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013SHS30T	IMX238+FH8521	28,9	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020SHS30T	OV2710+FH8531	32,1	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020SHS30T	IMX322+FH8531	34,2	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	

	AHD	IPA-V010M20D	OV9712S+NVP2431H	28,9	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Vandalproof IR Dome Camera IR LED: \varnothing 5X21PCS IR LED Working Distance: 20M Lens: 2.8-12mm Manual Zoom Lens 3-Axis cable built-in bracket Dimension: \varnothing 145 x 95(H) mm Weight:1.2kg 27pcs in one outer carton Black or Orange rubble ring is free for your choices (MOQ: 200pcs)
		IPA-A010M20D	AR0141H+HTC960	30,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013M20D	OV9750+HTC960	33,2	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013M20D	IMX225+NVP2431H	35,3	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020M20D	OV2710+NVP2441H	38,5	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020M20D	IMX322+NVP2441H	40,7	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010M20C	AR0141H+HTC960	31,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013M20C	OV9750+HTC960	33,2	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013M20C	AR0130+FH8521	34,2	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumincation, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013M20C	IMX225+HTC960	35,3	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020M20C	OV2710+FH8530C	40,7	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	
		IPA-S020M20C	IMX322+FH8530C	42,8	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010M20T	AR0141H+HTC960	31,0	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013M20T	OV9750+HTC960	33,2	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013M20T	IMX225+HTC960	35,3	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013M20T	IMX238+FH8521	37,5	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020M20T	OV2710+FH8531	40,7	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020M20T	IMX322+FH8531	42,8	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	

	AHD	IPA-V010RHV20D	OV9712S+NVP2431H	14,2	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Plastic IR Dome Camera IR LED: \varnothing 5X24PCS IR LED Working Distance:20M Lens: 2.8-12mm Manual Zoom Lens 3-Axis cable built-in bracket Dimension: \varnothing 110.5 x 95(H) mm Weight:800g
		IPA-A010RHV20D	AR0141H+HTC960	14,8	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013RHV20D	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013RHV20D	IMX225+NVP2431H	20,1	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020RHV20D	OV2710+NVP2441H	23,3	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020RHV20D	IMX322+NVP2441H	25,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010RHV20C	AR0141H+HTC960	15,8	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013RHV20C	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013RHV20C	AR0130+FH8521	19,0	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumincation, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013RHV20C	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020RHV20C	OV2710+FH8530C	25,5	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	
		IPA-S020RHV20C	IMX322+FH8530C	27,6	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumincation, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010RHV20T	AR0141H+HTC960	15,8	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013RHV20T	OV9750+HTC960	18,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013RHV20T	IMX225+HTC960	20,1	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	

TVI	IPA-013RHV20T	IMX238+FH8521	22,3	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020RHV20T	OV2710+FH8531	25,5	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020RHV20T	IMX322+FH8531	27,6	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

AHD	IPA-V010RT45D	OV9712S+NVP2431H	15,3	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010RT45D	AR0141H+HTC960	15,8	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013RT45D	OV9750+HTC960	19,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013RT45D	IMX225+NVP2431H	21,2	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020RT45D	OV2710+NVP2441H	24,4	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020RT45D	IMX322+NVP2441H	26,5	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010RT45C	AR0141H+HTC960	16,9	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013RT45C	OV9750+HTC960	19,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013RT45C	AR0130+FH8521	20,1	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013RT45C	IMX225+HTC960	21,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020RT45C	OV2710+FH8530C	26,5	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020RT45C	IMX322+FH8530C	28,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010RT45T	AR0141H+HTC960	16,9	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013RT45T	OV9750+HTC960	19,0	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013RT45T	IMX225+HTC960	21,2	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013RT45T	IMX238+FH8521	23,3	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020RT45T	OV2710+FH8531	26,5	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020RT45T	IMX322+FH8531	28,7	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT



HOT

Plastic IR Dome Camera
IR LED: 5X21PCS IR LED Working Distance:20M
Lens: 2.8-12mm Manual Zoom Lens
3-Axis cable built-in bracket
Dimension: 149 x 99(H) mm Weight:750g
27pcs in one outer carton

AHD	IPA-V010W25D	OV9712S+NVP2431H	31	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010W25D	AR0141H+HTC960	32	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013W25D	OV9750+HTC960	35	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013W25D	IMX225+NVP2431H	37	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020W25D	OV2710+NVP2441H	41	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020W25D	IMX322+NVP2441H	43	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010W25C	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013W25C	OV9750+HTC960	35	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013W25C	AR0130+FH8521	36	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013W25C	IMX225+HTC960	37	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020W25C	OV2710+FH8530C	43	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020W25C	IMX322+FH8530C	45	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
TVI	IPA-A010W25T	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013W25T	OV9750+HTC960	35	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013W25T	IMX225+HTC960	37	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013W25T	IMX238+FH8521	40	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020W25T	OV2710+FH8531	43	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020W25T	IMX322+FH8531	45	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT



Vandalproof IR Dome Camera
IR LED: 5X30PCS IR range: 25M
2.8-12mm Manual Zoom Lens
With external bracket by add USD5/pc
Size: 135 x 110(H) mm Weight: 1.2kg
27pcs in one outer carton


AHD	IPA-V010V25D	OV9712S+NVP2431H	31	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT
	IPA-A010V25D	AR0141H+HTC960	32	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013V25D	OV9750+HTC960	35	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT
	IPA-S013V25D	IMX225+NVP2431H	37	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up,OSD, With IR-CUT
	IPA-V020V25D	OV2710+NVP2441H	41	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
	IPA-S020V25D	IMX322+NVP2441H	43	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT
CVI	IPA-A010V25C	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT
	IPA-V013V25C	OV9750+HTC960	35	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-A013V25C	AR0130+FH8521	36	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT
	IPA-S013V25C	IMX225+HTC960	37	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-V020V25C	OV2710+FH8530C	43	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020V25C	IMX322+FH8530C	45	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT




Vandalproof IR Dome Camera
IR LED: 5X30PCS IR range: 25M
2.8-12mm Manual Zoom Lens
With external bracket by add USD5/pc
Size: 140 x 110(H) mm Weight: 1.2kg
27pcs in one outer carton


TVI	IPA-A010V25T	AR0141H+HTC960	33	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT
	IPA-V013V25T	OV9750+HTC960	35	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-S013V25T	IMX225+HTC960	37	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT
	IPA-013V25T	IMX238+FH8521	40	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT
	IPA-V020V25T	OV2710+FH8531	43	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT
	IPA-S020V25T	IMX322+FH8531	45	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT

Dome HD Cameras (Outdoor, IP66)

Picture	Type	Item No.	Sensor+ISP	Price USD	Specification	Remarks
 <p>IP66 waterproof</p>	AHD	IPA-V010MT20D	OV9712S+NVP2431H	37	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Vandalproof and Waterproof IR Dome Camera LED: \varnothing 5X21PCS IR range: 20M 2.8-12mm Manual Zoom Lens (3M Pixels) Waterproof IP66 Size: \varnothing 151 x 108(H) mm Weight: 1.2kg 24pcs in one outer carton With Bracket Add USD6/PC
		IPA-A010MT20D	AR0141H+HTC960	39	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013MT20D	OV9750+HTC960	42	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013MT20D	IMX225+NVP2431H	44	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020MT20D	OV2710+NVP2441H	47	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020MT20D	IMX322+NVP2441H	49	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010MT20C	AR0141H+HTC960	40	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013MT20C	OV9750+HTC960	42	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013MT20C	AR0130+FH8521	43	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013MT20C	IMX225+HTC960	44	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020MT20C	OV2710+FH8530C	49	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020MT20C	IMX322+FH8530C	51	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010MT20T	AR0141H+HTC960	40	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013MT20T	OV9750+HTC960	42	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013MT20T	IMX225+HTC960	44	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013MT20T	IMX238+FH8521	46	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020MT20T	OV2710+FH8531	49	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020MT20T	IMX322+FH8531	51	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

 <p>IP66 waterproof</p>	AHD	IPA-V010NT20D	OV9712S+NVP2431H	37	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up, With IR-CUT	Vandalproof and Waterproof IR Dome Camera IR LED: \varnothing 5X21PCS IR range: 20M 2.8-12mm Manual Zoom Lens (3M Pixels) Waterproof IP66 Size: \varnothing 145 x 108(H) mm Weight: 1.2kg 24pcs in one outer carton With Bracket Add USD6/PC Blue or Orange rubber ring is free for your choices (MOQ: 200pcs)
		IPA-A010NT20D	AR0141H+HTC960	39	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013NT20D	OV9750+HTC960	42	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-S013NT20D	IMX225+NVP2431H	44	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD, With IR-CUT	
		IPA-V020NT20D	OV2710+NVP2441H	47	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
		IPA-S020NT20D	IMX322+NVP2441H	49	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD, With IR-CUT	
	CVI	IPA-A010NT20C	AR0141H+HTC960	40	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR, With IR-CUT	
		IPA-V013NT20C	OV9750+HTC960	42	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-A013NT20C	AR0130+FH8521	43	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC, With IR-CUT	
		IPA-S013NT20C	IMX225+HTC960	44	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR , With IR-CUT	
		IPA-V020NT20C	OV2710+FH8530C	49	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020NT20C	IMX322+FH8530C	51	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
	TVI	IPA-A010NT20T	AR0141H+HTC960	40	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR, With IR-CUT	
		IPA-V013NT20T	OV9750+HTC960	42	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-S013NT20T	IMX225+HTC960	44	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR, With IR-CUT	
		IPA-013NT20T	IMX238+FH8521	46	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR, With IR-CUT	
		IPA-V020NT20T	OV2710+FH8531	49	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	
		IPA-S020NT20T	IMX322+FH8531	51	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC, With IR-CUT	

Spy HD Cameras

Picture	Type	Item No.	Sensor+ISP	Price USD	Specification	Remarks
	AHD	IPA-V010SD1D	OV9712S+NVP2431H	19	1/4" OV 1.0MP CMOS Sensor, 720P/960H, DWDR, 3D NR, Sense-up	Smoke Detector Camera Board Lens 3.6mm/F2.0 Size: \varnothing 119 x 56(H) mm
		IPA-A010SD1D	AR0141H+HTC960	20	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR	
		IPA-V013SD1D	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H, Low Illumination, DNR	
		IPA-S013SD1D	IMX225+NVP2431H	26	1/3" SONY 1.3MP CMOS Sensor 960P/ 960H Low Illumination, DWDR, 3D NR, Sense up, OSD	
		IPA-V020SD1D	OV2710+NVP2441H	29	1/2.7" OV 2.1MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD	
		IPA-S020SD1D	IMX322+NVP2441H	31	1/2.8" SONY 2.4MP CMOS Sensor 1080P/960H Low Illumination, DWDR, 3D NR, Sense-up, OSD	
	CVI	IPA-A010SD1C	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, , Low Illumination, DNR	
		IPA-V013SD1C	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR	
		IPA-A013SD1C	AR0130+FH8521	25	1/3" Aptina 1.3MP CMOS sensor 960P, Low Illumination, WDR, 3D NR, UTC	

CWI	IPA-S013SD1C	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR	
	IPA-V020SD1C	OV2710+FH8530C	31	1/2.7" OV 2.1MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC	
	IPA-S020SD1C	IMX322+FH8530C	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC	
	TVI	IPA-A010SD1T	AR0141H+HTC960	21	1/4" Aptina 1.0MP CMOS Sensor, 720P/960H, Low Illumination, DNR
		IPA-V013SD1T	OV9750+HTC960	24	1/3" OV 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR
		IPA-S013SD1T	IMX225+HTC960	26	1/3" SONY 1.3MP CMOS Sensor, 960P/960H Low Illumination, DNR
		IPA-013SD1T	IMX238+FH8521	28	1/3" SONY 1.4MP CMOS sensor 960P, Low Illumination, 3D NR
		IPA-V020SD1T	OV2710+FH8531	31	1/2.7" 2.1MP OV CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC
		IPA-S020SD1T	IMX322+FH8531	33	1/2.9" SONY 2.4MP CMOS Sensor 1080P, Low Illumination, WDR, DNR, UTC

Size: 115 X 50(17) mm
Weight: 350g
48pcs in one outer carton

Trade Terms:

- 1. Price Term: Ex-Factory, Shenzhen, China**
- 2. Payment Term: T/T or West Union**
- 3. Samples: Available after customers pay the charges of sample & freight fees**
- 4. Minimum Order Quantity: At least 10pcs/model after sample order**
- 5. Lead time: 7-15 days**
- 6. Warranty: Two Years after shipment date**