



# International Impex Trade Ltd.


Hong Kong, Unit 04, 7/F Bright Way Tower NO.33 Mong Kok RD KL


Skype: inga.impex Phone: +852 81975533 – we speak Russian

ICQ: 121401019 Phone: +852 81912393 – we speak Spanish, English, French, Russian


e-mail: inga@impexcn.com

## HD NVR Price List

H.264 8CH HD NVR				
Item No.	Unit Price (<20PCS)	Unit Price (≥20PCS)	Picture	Specifications
IIT-KXP108	\$25	\$25	 <p><b>Super miniature: 5V input only</b></p> <p><b>Multi-languages OSD and CMS</b></p>	<p><b>HOT</b></p> <p>◇8-Channel 1080P H.264 HD NVR (Onvif 2.4)</p> <p>◇Super MINI NVR Power Input: DC5V (Note: It will get damaged with 12V power input)</p> <p>◇Video Compression: H.264 High Profile</p> <p>◇IP Camera Input: 8CH (1920×1080, 1280×960, 1280×720,etc)</p> <p>◇Video output: 1-channel VGA and 1-channel HDMI output</p> <p>◇Recording resolution: 8CH*1080P/ 8CH*960P/8CH*720P,etc (ALL REAL TIME)</p> <p>◇Preview Resolution: 8xD1 /1x1080P</p> <p>◇Recording frame rate: 25fps/CH</p> <p>◇Playback resolution: 1x1080P</p> <p>◇Backup: USB2.0</p> <p>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</p> <p>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</p> <p>◇Support Remote View by Smart Phone (Iphone &amp; Andriod), <b>Support P2P</b></p> <p>◇With 2 × USB</p> <p>◇Support 1 SATA Hard Disk interface (2.5' SATA,Up to 4TB)</p> <p>◇Housing Color: White or Black ◇Dimensions (L×W×H): 114*110*40(mm) Weight:0.5Kg</p>
				<p><b>HOT</b></p> <p>◇8-Channel 1080P H.264 HD NVR (Onvif 2.4)</p> <p>◇Video Compression: H.264 High Profile</p> <p>◇IP Camera Input: 8CH (1920×1080, 1280×960, 1280×720,etc)</p>


IIT-KSP108	\$25	\$25	 <p data-bbox="470 438 824 470">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> <li>◇Recording resolution: 8CH*1080P/ 8CH*960P/8CH*720P,etc (ALL REAL TIME)</li> <li>◇Preview Resolution: 8xD1 /1x1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇Playback resolution: 1x1080P</li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇Support Remote View by Smart Phone (Iphone &amp; Andriod), <b>Support P2P</b></li> <li>◇With 2 × USB</li> <li>◇Support 1 SATA Hard Disk interface (2.5'/3.5' SATA,Up to 4TB)</li> <li>◇Housing Color: White or Black</li> <li>◇Dimension: 215x215x53mm (LxWxH) Weight:2.0Kg</li> </ul>
------------	------	------	--	---

--	--	--	--	--


Item No.	Unit Price (<20PCS)	Unit Price (≥20PCS)	Picture	Specifications
IIT-RP108	\$34	\$32	 <p data-bbox="510 1181 862 1212">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇8-Channel 1080P H.264 HD NVR (Onvif 2.4)</li> <li>◇Video Compression: H.264 High Profile</li> <li>◇IP Camera Input: 8CH (1920×1080, 1280×960, 1280×720,etc)</li> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> <li>◇Recording resolution: 8CH*1080P/ 8CH*960P/8CH*720P,etc (ALL REAL TIME)</li> <li>◇Preview Resolution: 8xD1 /1x1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇Playback resolution: 1x1080P</li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇ Support Remote View by Smart Phone (Iphone &amp; Andriod), <b>Support P2P</b></li> <li>◇With 2 × USB</li> <li>◇Support 2 SATA Hard Disk interface (Up to 8TB)</li> <li>◇Multi-languages</li> <li>◇Dimension: 354x245x45mm (LxWxH) Weight:4.0Kg</li> </ul>

--	--	--	--	--

Item No.	Unit Price (<20PCS)	Unit Price (≥20PCS)	Picture	Specifications
				<ul style="list-style-type: none"> <li>◇8-Channel 1080P H.264 HD NVR (Onvif 2.4)</li> <li>◇Video Compression: H.264 High Profile</li> <li>◇IP Camera Input: 8CH (1920×1080, 1280×960, 1280×720,etc)</li> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> </ul>


IIT-KP108	\$34	\$32	 <p data-bbox="504 391 862 422">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇Recording resolution: 8CH*1080P/ 8CH*960P/8CH*720P,etc (ALL REAL TIME)</li> <li>◇Preview Resolution: 8xD1 /1x1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇Playback resolution: 1x1080P</li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇Support Remote View by Smart Phone (Iphone &amp; Andriod), <b>Support P2P</b></li> <li>◇With 2 × USB</li> <li>◇Support 2 SATA Hard Disk interface (Up to 8TB)</li> <li>◇Multi-languages</li> <li>◇Dimension: 354x245x45mm (LxWxH) Weight:4.0Kg</li> </ul>
-----------	------	------	---	--

## H.264 24CH HD NVR (Support 5MP/3MP IPC input)


Item No.	Unit Price (<20PCS)	Unit Price (≥20PCS)	Picture	Specifications
IIT-RPN224	\$61	\$59	 <p data-bbox="492 1085 851 1117">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇24-Channel 1080P H.264 HD NVR (Onvif 2.4)</li> <li>◇Video Compression: H.264 High Profile</li> <li>◇IP Camera Input: 24CH (2592x1944, 2048x1536, 1920×1080, 1280×960, 1280×720,etc)</li> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> <li>◇Recording resolution: 24CH*1080P/ 24CH*960P/24CH*720P,etc (ALL REAL TIME)</li> <li>◇Preview Resolution: 24CHxD1/16CHxD1/9CHxD1/4CHxD1/1CHx1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇Playback resolution: 4x1080P</li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇Support Remote View by Smart Phone (Iphone &amp; Andriod), <b>Support P2P</b></li> <li>◇With 2 × USB</li> <li>◇Support 2 SATA Hard Disk interface (Up to 8TB)</li> <li>◇Dimension: 354x245x45mm (LxWxH) Weight:4.0Kg</li> </ul>

## H.264 24CH HD NVR (Support 5MP/3MP IPC input)


Item No.	Unit Price (<20PCS)	Unit Price (≥20PCS)	Picture	Specifications
				<ul style="list-style-type: none"> <li>◇24-Channel 1080P H.264 HD NVR (Onvif 2.4)</li> <li>◇Video Compression: H.264 High Profile</li> <li>◇IP Camera Input: 24CH (2592x1944, 2048x1536, 1920×1080, 1280×960, 1280×720,etc)</li> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> <li>◇Recording resolution: 24CH*1080P/ 24CH*960P/24CH*720P,etc (ALL REAL TIME)</li> </ul>


IIT-KPN224	\$61	\$59	 <p data-bbox="504 303 862 335">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇Preview Resolution: 24CHxD1/16CHxD1/9CHxD1/4CHxD1/1CHx1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇<b>Playback resolution: 4x1080P</b></li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇ Support Remote View by Smart Phone (Iphone &amp; Andriod), <b>Support P2P</b></li> <li>◇With 2 × USB</li> <li>◇<b>Support 2 SATA Hard Disk interface (Up to 8TB)</b></li> <li>◇Dimension: 354x245x45mm (LxWxH) Weight:4.0Kg</li> </ul>
------------	------	------	---	--

Item No.    Unit Price (<20PCS)    Unit Price (≥20PCS)    Picture    Specifications				
---	--	--	--	--

IIT-NPN124	\$72	\$70	 <p data-bbox="828 558 907 638" style="color: orange; font-weight: bold;">HOT</p> <p data-bbox="492 1037 851 1069">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇<b>24-Channel H.264 1080P NVR (Onvif 2.4)</b></li> <li>◇Video Compression: H.264 High Profile</li> <li>◇IP Camera Input: 24CH (2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)</li> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> <li>◇<b>Recording resolution: 24CH*1080P/ 24CH*960P/24CH*720P, etc (ALL REAL TIME)</b></li> <li>◇Preview Resolution: 24CHxD1/16CHxD1/9CHxD1/4CHxD1/1CHx1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇<b>Playback resolution: 4x1080P</b></li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇ Support Remote View by Smart Phone (Iphone &amp; Andriod), <b>Support P2P</b></li> <li>◇With 2 × USB2.0</li> <li>◇Support 2 SATA Hard Disk interface (Up to 8TB)</li> <li>◇Dimension: 405x325x65mm (LxWxH) Weight:6.0Kg</li> </ul>
------------	------	------	---	---

Item No.    Unit Price (<20PCS)    Unit Price (≥20PCS)    Picture    Specifications				
---	--	--	--	--

				<ul style="list-style-type: none"> <li>◇<b>24-Channel H.264 1080P NVR (Onvif 2.4)</b></li> <li>◇Video Compression: H.264 High Profile</li> <li>◇IP Camera Input: 24CH (2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)</li> </ul>
--	--	--	---	---

IIT-LPN124	\$72	\$70	 <p data-bbox="492 375 851 406">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> <li>◇Recording resolution: 24CH*1080P/ 24CH*960P/24CH*720P,etc (ALL REAL TIME)</li> <li>◇Preview Resolution: 24CHxD1/16CHxD1/9CHxD1/4CHxD1/1CHx1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇Playback resolution: 4x1080P</li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇Support Remote View by Smart Phone (Iphone &amp; Andriod) ,Support P2P</li> <li>◇With 2 × USB2.0</li> <li>◇Support 2 SATA Hard Disk interface (Up to 8TB)</li> <li>◇Dimension: 405x325x65mm (LxWxH) Weight:6.0Kg</li> </ul>
------------	------	------	---	---

H.264 4CH HD NVR with POE				
Item No.	Unit Price (<20PCS)	Unit Price (≥20PCS)	Picture	Specifications
IIT-KSPOE104	\$33	\$33	 <p data-bbox="504 1109 862 1141">Multi-languages OSD and CMS</p>	<ul style="list-style-type: none"> <li>◇4-Channel 1080P H.264 HD NVR (Onvif 2.4)</li> <li>◇ With POE</li> <li>◇Video Compression: H.264 High Profile</li> <li>◇IP Camera Input: 4CH (1920×1080, 1280×960, 1280×720,etc)</li> <li>◇Video output: 1-channel VGA and 1-channel HDMI output</li> <li>◇Recording resolution: 4CH*1080P/ 4CH*960P/4CH*720P,etc (ALL REAL TIME)</li> <li>◇Preview Resolution: 4xD1 /1x1080P</li> <li>◇Recording frame rate: 25fps/CH</li> <li>◇Playback resolution: 1x1080P</li> <li>◇Backup: USB2.0</li> <li>◇Hexaplex operation simultaneously: Preview, recording, playback, network live, backup, playback</li> <li>◇RJ-45 Ethernet connector, Static IP, Support Internet Explorer and Special Client Software</li> <li>◇Support Remote view by Mobile Phones, Support P2P</li> <li>◇With 2 × USB</li> <li>◇Support 1 SATA Hard Disk interface (2.5'/3.5' SATA,Up to 4TB)</li> <li>◇Housing Color: White or Black</li> <li>◇Dimension: 215x215x53mm (LxWxH) Weight:2.0Kg</li> </ul>

**Trade terms:**

1. Price Term: Ex-Factory, Shenzhen, China
2. Payment Term: T/T or West Union
3. Samples: Available after customers pay the charges of sample & freight fees
4. Minimum Order Quantity: At least 10pcs/model after sample order
5. Lead time: 7-15 days
6. Warranty: One Year after shipment date

